

Qassroom tech toolkit

bundle**board** i



QOMO's BundleBoard i is a comprehensive Google EDLA certified Interactive Display that fully embraces Google's ecosystem.

Equipped with **AI and Google Voice Assistant**, it enhances productivity and simplifies collaboration, offering a smarter, more connected experience.



√ What Sets the BundleBoard i Series Apart

INTUITIVE INTERFACE

Specifically designed to be **intuitive for the end-user**. Customize and access what you need directly from the home screen.

ADVANCED SECURITY

Never worry — EDLA certification means staying up to date with all the latest google security patches. Meaning protection against unauthorized access, cyber attacks, passwords, and data loss.

ACCESS EVERYTHING AT ONCE

Have access to thousands of apps from Google Playstore. Use the split screen mode to view multiple apps at the same time.

SCREEN CAST AND FILE SHARE

Not only can you cast multiple devices from different platforms with built-in wireless screen sharing that supports airplay, chromecast, miracast, and webcast, but you can also send files to the board with a click of a button.

| | 65" | 75" | 86" | | |
|--------------------|---|-------------------------------|-------------------------------|--|--|
| BundleBoard i Seri | es | | | | |
| Model | QITBB65 i | QITBB75 i | QITBB86 i | | |
| Backlight Type | D-LED | D-LED | D-LED | | |
| Aspect Ratio | 16:9 | 16:9 | 16:9 | | |
| Resolution | 4K | 4K | 4K | | |
| Touch Points | 50 points | 50 points | 50 points | | |
| Industrial Glass | Anti-Glare, Anti-Fingerprints | Anti-Glare, Anti-Fingerprints | Anti-Glare, Anti-Fingerprints | | |
| Brightness | 400cd/m2 | 400cd/m2 | 400cd/m2 | | |
| Operating System | Android 14 | Android 14 | Android 14 | | |
| RAM / ROM | 8G DDR4/128GB | 8G DDR4/ 128GB | 8G DDR4/ 128GB | | |
| Built-in OPS | Optional i5 8GB or i7 16GB | Optional i5 8GB or i7 16GB | Optional i5 8GB or i7 16GB | | |
| Wireless | WiFi 6/Bluetooth | WiFi 6/Bluetooth | WiFi 6/Bluetooth | | |
| NFC | Yes | Yes | Yes | | |
| Mic/Audio | | | | | |
| Speaker | Front-Facing 2x20W | Front-Facing 2x20W | Front-Facing 2x20W | | |
| Built-in Mic | Yes, 24 ft Range | Yes, 24 ft Range | Yes, 24 ft Range | | |
| Physical Specs | | | | | |
| VESA | 600×400 | 800×400 | 800×600 | | |
| Product Dimensions | 1488×908×86mm | 1709.4×1031×85.5mm | 1957×1171×97mm | | |
| Packing Dimensions | 1628×1014×185mm | 1863×1155x225mm | 2110×1304×225mm | | |
| Net Weight | 76.5lbs | 102.4lbs | 120.6lbs | | |
| Gross Weight | 91.6lbs | 1.6lbs 124lbs 154lbs | | | |
| Ports | 4 USB 3.0, 1 USB 2.0, 2 Touch USB, 3 HDMI In, 2 USB-C, 1 DP, 1 MIC In, 1 VGA, 1 Audio Out, 1 SPDIF, 1 RS232 (Baud rate 9600), 1 HDMI Out, 2 LAN (10M/100M/1000M) In/Out, TF card slot | | | | |

Seamless Access with Roaming Profiles

The BundleBoard i allows users to set up roaming profiles for a personalized experience across multiple displays. You can easily log in to your profile using an NFC card, password, or QR code. This means your settings, files, and tools are always at your fingertips, no matter which BundleBoard I you're using, ensuring a smooth and efficient workflow every time



bundle**board** h2

QOMO's BundleBoard H2 series is a sleek and fast interactive panel with an Android operating system and 64 GB of storage.

It's as easy to use as a smartphone or tablet, and designed for teamwork, with up to 40 multi-touch points, annotation capabilities, and the ability to cast up to 9 devices.



1

What Sets the BundleBoard H2 Series

CUSTOM-DESIGNED INTERFACE

Specifically designed to be **intuitive for the end-user.** Access what you need directly from the home screen.

RUGGED AND BUILT TO LAST

Never worry — BundleBoard's high quality metal frame and tempered glass can take it. Made for any public space, including classrooms, conference rooms, and lobbies.

IT'S A TOOL CHEST

Now with more tools to increase engagement, including Instant Poll, Whiteboard, Screen Record, Timer/Countdown, Share to Cloud and more.

MULTI-USER DEVICE CASTING

Cast between 1 and 9 devices from different platforms with built-in wireless screen sharing that supports airplay, chromecast, miracast, and webcast

| | 65" | 75" | 86" | | |
|--------------------|--|----------------------------|----------------------------|--|--|
| BundleBoard H2 S | eries | | | | |
| Model | QITBB65 H2 | QITBB75 H2 | QITBB86 H2 | | |
| Backlight Type | D-LED | D-LED | D-LED | | |
| Aspect Ratio | 16:9 | 16:9 | 16:9 | | |
| Resolution | 4K | 4K | 4K | | |
| Touch Points | 40 points | 40 points | 40 points | | |
| Industrial Glass | Tempered, Bonded | Tempered, Bonded | Tempered, Bonded | | |
| Brightness | 400cd/m2 | 400cd/m2 | 400cd/m2 | | |
| Operating System | Android 13 | Android 13 | Android 13 | | |
| RAM / ROM | 8G DDR4/ 64GB | 8G DDR4/ 64GB | 8G DDR4/ 64GB | | |
| Built-in OPS | Optional i5 4GB or i7 16GB | Optional i5 4GB or i7 16GB | Optional i5 4GB or i7 16GB | | |
| WiFi | Dual WiFi 2.4/5GHz | Dual WiFi 2.4/5GHz | Dual WiFi 2.4/5GHz | | |
| Bluetooth | 2.1+EDR/4.2/5.1 | 2.1+EDR/4.2/5.1 | 2.1+EDR/4.2/5.1 | | |
| Audio | | | | | |
| Speaker Position | Front-Facing | Front-Facing | Front-Facing | | |
| Speaker Output | 2X15W | 2X15W | 2X15W | | |
| Physical Specs | | | | | |
| VESA | 600×400 | 800×400 | 800×600 | | |
| Product Dimensions | 1482×897×88mm | 1717×1032×87mm | 1962×1170×88mm | | |
| Packing Dimensions | 1640×1010×185mm | 1860×1125x185mm | 2095×1265×185mm | | |
| Net Weight | 84lbs | 116lbs | 145lbs | | |
| Gross Weight | 102lbs | 136lbs 170lbs | | | |
| Ports | 4 USB 3.0, 1 USB 2.0, 4 Touch USB, 3 HDMI IN, 2 USB-C, 1 DP, 1 MIC IN, 1 VGA + PC Audio, 1 Audio Out. 1 SPDIF. 1 RS232 IN. 1 HDMI Out. 2 LAN (10M/100M/1000M) | | | | |

QShare Wireless HDMI Transceiver

From any HDMI or USB-C device, to any display. It's a powerful wireless casting technology, not dependent on your WiFi. That means it's faster (no lag) and sharper (Ultra HD 4K signal). With an added touch transceiver, you can interact wirelessly with your computer or phone on a QOMO touch screen. With an added touch transceiver, you can interact wirelessly with your computer or phone on a QOMO touch screen.

ful Cast any HDMI or USB-C device, including PCs, phones, doc cams, and game consoles.

Learn more at qomo.com/product/qshare

slot-in computers

Pick and choose from QOMO's selection of slot-in computers for a robust and effortless experience.

Learn more about our agnostic software offering at qomo.com/accessories/modular-slot-in-ops/



Windows OS Model: QIT-PC5-6

Add-on BundleBoard product

Add the power of i5 8GB RAM & 128 GB ROM to your interactive display to use your favorite Windows or Linux software *Window license not included



Windows OS Model: QIT-PC7-4

Add-on BundleBoard product

Add the power of i7 16GB RAM & 512 GB ROM to your interactive display to use your favorite Windows or Linux software *Window license not included



Android 13 EDLA Model: QIT-PC3-Flex

Optional add-on for BundleBoard products

Plug the QOMO Android OPS into your favorite QOMO display and access the world of Google Playstore. Your favorite apps are available with a single touch included Microsoft apps, Youtube, and Netflix.



Chrome OS Flex Model: QIT-PC3-Flex

Optional add-on for BundleBoard products

The ChromeOS Flex Slot-in Computer module allows you to upgrade your existing QOMO Interactive Displays to access the Google environment. ChromeOS Flex offers secure, cloud-based, easy-to-manage, and fast performance.

software

QOMO panels come with software at no additional costs or hidden fees. Our panels also work with software you're already using.

Learn more about our agnostic software offering at **qomo.com/software**.

Our products adapt to software you're already using!



Flow!Works Pro by QOMO

Included with purchase of BundleBoard products

QOMO's Flow!Works Pro is an interactive whiteboarding and annotation software.
Communicate ideas easily with digital tools, such as rulers and a calculator.



Oktopus by our partners at Qwizdom

Included with purchase of BundleBoard products

Oktopus is a robust educational software with pre-made lesson plans, collaboration tools, and interactive multi-player games. Available in over 40 languages.



VISO MDM by our partners at Radix

Optional add-on for BundleBoard products

Radix VISO MDM enables you to monitor, manage and control all of your school's devices through a single, cloud-based platform, enabling complex operations and tasks to be completed in a refreshingly simple manner.

mounts & stands

QOMO offers height-adjustable, mobile, and even motorized mounts and stands for the Bundleboards and other interactive displays.

Learn more about our mounts and stands at qomo.com/accessories.

Model: QIT-Stand 2 **6** 8 0 01:11 pm 01:11 pm robotics bundle**board** 9000 9006 060 0 0 Made by us! Easy on your budget. **Fixed Mobile Stand** We designed this **mobile stand to be easy on your budget** and perfect for your QOMO panel or any non-QOMO panel. It comes with a convenient shelf for your computer and a rectangular gear base to prevent tripping. Model: QIT-Stand G

Standard VESA Mount

Our fixed wall mount comes with the QOMO IFPs and **holds up to 300 pounds**, which is a lot of weight!

This mount is included with QOMO panels!

A PROUD PARTNER OF

BalanceBox

BalanceBox[®] stands are UL Certified!

Height Adjustable Mobile Stand

The new **BalanceBox® 400** is a height adjustable stand for education. It has a patented spring system that neutralizes gravity, making it easy and safe to move your display up or down and allowing users of all ages and heights to access the screen.

Motorized Stands

The **e-Box**® is a product range of high quality motorized display panel mounts. Make height adjustments to your display panel or tilt it back up to 90 degrees for a completely flat work surface with the push of a button.

----- <u>| - - - - - -</u>




Height Adjustable Mounts Model: QBB400-70 (For 65" & 75") Model: QBB400-90 (For 86")

Height Adjustable Stand Model: QBB400-70, QBB400-Mobile-e (For 65"& 75") Model: QBB400-90, QBB400-Mobile-e (For 86")

Fixed Height Stand Model: QBB481A70 VESA, QBB400-Mobile-e





Model: 487A12011 e-Box

Model: 487A03 e-Box

Web cams & Conference cams

Radically improve your virtual conferences with QOMO's top notch cameras. They are plug & play and compatible with all operating systems.

Learn more about our mounts and stands at https://qomo.com/products/conference-cams/



Model: QWC-004

| Resolution | 1920x1080p | |
|----------------------------------|-------------------------------------|---|
| Image Sensor | CMOS | |
| Focus | Fixed | |
| Frame Rate | 30 fps | |
| Interface | USB 2.0 Plug & Play | |
| Microphone | Built-in Dual | |
| Field of View (FOV) | D=77 degrees | |
| System Compatibility | Windows/Mac/Android/Linux/Chrome OS | |
| Operating Voltage | DC 5V | |
| USB Cable Length | 6 ft | |
| Package Dimensions | 3.1 x 3.0 x 5.5 in | |
| Dimensions | 3.6 x 1.3 x 1.0 in | |
| Net/Gross Weight | 0.3 lbs / 0.4 lbs | |
| Otional Tripod Dimensions (H) | 6 in (folded), 8.5 in (unfolded) | 4 |
| | | |

conferencecam 006



Model: QWC-006

| modell arre ook | • |
|-----------------------------|-------------------------------------|
| Resolution | 4K |
| Image Sensor | 1/2.8 in 4K CMOS |
| Focus | Fixed |
| Frame Rate | 30 fps |
| Interface | USB 3.0 Plug & Play |
| Microphone | Built-in Dual |
| Field of View (FOV) | D=120 degrees |
| System Compatibility | Windows/Mac/Android/Linux/Chrome OS |
| Zoom | 10x |
| PTZ Control | Supports ePTZ, remote & auto adjust |
| Video Compression Format | YUY2, NV12, MJPG,H264 |
| USB Protocol | UVC, UAC |
| Weight | 0.5 lbs |
| Dimensions | 7 in x 25 in x 1.8 in |

ACCESSORIES

display add-ons

Enhance your interactive displays with wireless add-ons for seamless and powerful collaboration.

Cast any HDMI or USB-C device, including PCs, phones, doc cams, and game consoles.



WIRELESS HDMI + TOUCH TRANCEIVER

QShare 100

- Lag-free 4K casting for seamless presentations.
- Range: 100 ft line-of-sight, 30 ft non-line-of-sight
- Plug & Play: No software or Wi-Fi required.
- Secure: No network security concerns.
- Wireless Touch: Available when paired with QOMO displays.*

WIRELESS WRITING TABLET

QIT30 Prodigy

- An interactive whiteboard in the palm of your hand.
- Compact & Portable: Control your computer from anywhere in the room up to 30 ft.
- Plug & Play: Quick USB setup for Windows.
- Effortlessly control PowerPoint slides with a single click

ACCESSORIES

audience response

A classroom response system can help you instantly gauge whether your students are comprehending the material, without having to single anyone out.

Learn more at **qomo.com/audience-response.**







AUDIENCE RESPONSE SYSTEM

QClick QRF300

- Multiple-choice selections for quizzes and polls.
- 100% participant engagement
- PowerPoint Integration: Seamlessly integrate questions into your presentations.
- Export Results a to Excel for analysis.
- Up to 150 ft, supports 240 student clickers.

AUDIENCE RESPONSE SYSTEM


QClick QRF500

- Multiple-choice and short-answer question options.
- 100% participant engagement
- PowerPoint Integration: Seamlessly integrate questions into your presentations.
- Export Results a to Excel for analysis.
- Up to 150 ft, supports 240 student clickers.

INTERACTIVE PODIUM

presenstation 600f3

The PresenStation[™] 600F3 interactive podium gives you complete control over your presentation without having to turn your back on your class.



√ What Sets the PresenStation 600f3 Apart

MULTIPLE CONNECTION PORTS

Designed as a presentation tool, we added 2 HDMI outputs for simultaneous projecting, and 2 USB extenders. Control presentations across multiple screens without turning your back.

UNIVERSAL VESA MOUNT

An adjustable tabletop mount is included, but the back of the PresenStation has a **standard VESA pattern**, so use whatever mount you like. Even one that rotates.

PRESSURE SENSITIVE TOUCH

EM technology allows you to draw heavy or faint lines like you would with an actual pen on paper. Point-by-point touch allows for more precise pen touch without palm interference.

INTUITIVE CAPACITIVE TOUCH

Multi-touch for fingertips makes it easy and intuitive to use — just like using your smartphone. And, unique to QOMO, this feature can be turned on/off with the touch of a button.


| PresenStation 600F3 | | | | |
|---------------------------------|--|--|--|--|
| Panel Type | Active-Matrix Liquid Crystal Display (TFT) | | | |
| Effective Screen Size | 21.5 inch 478.64(H) × 270.11(V) | | | |
| Resolution | 1920(H) × 1080 (V) | | | |
| Standard Colors | 16.7M | | | |
| Brightness | 250 cd/m2 | | | |
| Surface | Anti-Glare | | | |
| Viewing Angle | 178° (H), 178° (V) | | | |
| Writing Characteristic | s | | | |
| Touch Technology | Capcitive and Electromagnetic | | | |
| Pen | Battery-less Pen | | | |
| Tablet Resolution | 5080Lpi | | | |
| Pen Pressure | 8192 Levels | | | |
| Reading Accuracy | ±0.25 mm (center) | | | |
| Tracking | Approximately 220 points per second | | | |
| Capacitive Touch | 14 ms speed, 10 point touch | | | |
| Ports | | | | |
| Inputs | HDMI, USB Type A (3.0) x 2, USB Type B (3.0), 12v DC Power | | | |
| Outputs | HDMI × 2 | | | |
| Physical Specs | | | | |
| External Dimensions | 517 (W)×321.8 (H)×30 (D) mm (without stand) | | | |
| Stand Adjustment | Adjustable in the range of 12° to 130° | | | |
| Compatible Operating Systems | Windows 10 or above, Mac 10.9 or above or Chrome OS. | | | |
| | | | | |

INTERACTIVE PODIUM

presen**station**[™]800 f1

Control your display with the PresenStation™ 800F1 4K interactive podium without having to turn your back on your audience.

Write, draw, and **annotate** on your documents, slides, and desktop with our fast electromagnetic pen technology that simulates writing on paper.



✓ What Sets the PresenStation 800F1 Apart

MULTIPLE CONNECTION PORTS

Designed as a presentation tool, we added an HDMI input and output for projecting, 1 USB Type C, 3 USB extenders.

UNIVERSAL VESA MOUNT

An adjustable tabletop mount is included, but the back of the PresenStation has a **standard VESA pattern,** so use whatever mount you like. Even one that rotates.

PRESSURE SENSITIVE TOUCH

EM technology allows you to draw heavy or faint lines like you would with an actual pen on paper. Point-by-point touch allows for more precise pen touch without palm interference.

INTUITIVE CAPACITIVE TOUCH

Multi-touch for fingertips makes it easy and intuitive to use — just like using your smartphone. And, unique to QOMO, this feature can be turned on/off with the touch of a button.

| PresenStation 800F1 | | | | | |
|---------------------------------|--|--|--|--|--|
| Panel Type | Active-Matrix Liquid Crystal Display (TFT) | | | | |
| Effective Screen Size | 23 inch 20.75(H) × 11.67(V) inches | | | | |
| Resolution | 3840(H) × 2160 (V) | | | | |
| Color Support | 1.07B | | | | |
| Brightness | 300 cd/m2 | | | | |
| Surface | Anti-Glare | | | | |
| Viewing Angle | 178° (H), 178° (V) | | | | |
| Writing Characteristics | | | | | |
| Touch Technology | 10-points Capacitive Touch and Electromagnetic Pen Touch | | | | |
| Pen | Battery-less Passive Pen PA2 | | | | |
| Tablet Resolution | 5080Lpi | | | | |
| Pen Pressure | 8192 Levels | | | | |
| Reading Accuracy | ±0.5 mm (center) | | | | |
| Tracking | Approximately 220 points per second | | | | |
| Capacitive Touch | 14 ms speed, 10 point touch | | | | |
| Ports | | | | | |
| Inputs | HDMI, USB Type C, USB Type A (3.0) x 3, USB Type B (3.0), 12v DC Power | | | | |
| Outputs | HDMI × 1 | | | | |
| Physical Specs | | | | | |
| External Dimensions | 517 (W)×321.8 (H)×30 (D) mm (without stand) | | | | |
| Stand Adjustment | Adjustable in the range of 12° to 130° | | | | |
| Compatible Operating Systems | Windows 10 or above, Mac 10.9 or above or Chrome OS. | | | | |

WIRELESS DOC CAM ACCESSORY

qshare 20

Wireless Document Camera Receiver

Effortlessly connect your document camera wirelessly with the QShare 20 Wireless Receiver.

Compatible with the WanderCamTM Pro, ScienceCam 80 H3, and CenterCam 5000, the QShare 20 enables seamless wireless HDMI or USB connections for your document cameras. Enjoy plug-and-play 4K streaming without the need for long cables.





What Sets the QShare 20 Apart

CONTROL AT YOUR FINGERTIPS

All camera adjustments are made on the **easy-to-use buttons** at the base of the doc cam. The viewing area allows you to present an **entire textbook width.**

LONG-LASTING BATTERY LIFE

The QPC100W wireless doc cam offers **8 hours** of battery life, so you won't need to worry about it dying mid-presentation. Simply plug it in to recharge at the end of the day.

SECURE STANDALONE CONNECTION

Unlike other wireless solutions, the QShare 20 ensures your QOMO document camera operates without connecting to your wireless network, providing a secure and isolated connection.

COMPATIBLE WITH ALL

Our technology works with all-- Chromebooks, Windows Computers, Macs, Interactive Displays, TVs, or Projectors!

QShare 20 Frequency Band 2.4GHz, 5GHz Transmission Technology Wireless **Transmission Range** Up to 40 ft (Open Area) **Image Quality** 4K@30Hz, 1080P@60Hz Delay 260ms 0 C- 60 C **Working Temperature** Working Voltage 5V **Working Current** 0.5A Interface Type HDMI and USB Type-C Compatible Doc Cams QPC100W, QD5000, QPC80 H3 **Compatible Devices** HDMI Displays, Windows, Mac, Android, Chrome OS (Receiving Side) **Physical Specs** Weight 1 lb Dimensions 3.75in x 2in x 0.5in **Accessories Included** HDMI, USB C-C, USB A-C, Built-in Magnet (for attachment)

10 Ways to Use Document Cameras in the Classroom

The greatest benefit of document cameras is the ability to give a close-up view of small objects and documents to an entire classroom. A single doc cam can save thousands of pages of paper in a year (no need to make copies for every student!) and can even help you save money on textbooks and other class materials.

Here are 10 thoughtful ways to apply document cameras in your classroom.

- 1. Zoom in on objects and specimens.
- 2. Read between the lines.
- 3. Record and share lessons.
- 4. Get students involved.
- 5. Host interesting visitors.

- 6. Help note takers catch up.
- 7. Manage your classroom.
- 8. Enhance demonstrations.
- 9. Make time to play.
- 10. Replace your scanner.

Read more of our posts at qomo.com/qontent-by-qomo.





DOCUMENT CAMERA PRODUCT LINE OVERVIEW share the delight that's in the details.

QOMO offers doc cams that flex, scan, and even fit in your pocket, so you can choose the camera that meets your specific classroom requirements.















| | | | | | | | 4 | # STANKE |
|--------------------------|-------------------------------------|---------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|--|---------------------------------|--|
| | scanner cam 5 | scanner cam 22 | scanner cam 100S | science cam 80 H3 | center cam 3900 H2 | center cam 5000 | wander cam 55W | wander cam 100W |
| Model | QPC5 | QPC22 | QPC100S | QPC80 H3 | QD3900 H2 | QD5000 | QPC55W | QPC100W |
| MP | 13 | 8 | 13 | 8.3 | 5 | 8.3 | 8 | 13 |
| Resolution | 4K UHD | 4K UHD | 4K UHD | 4K UHD | HD | 4K UHD | 4K UHD | 4K UHD |
| Digital Zoom | 25x | 25x | 25x | 10x | 10x | 10x | 25x | 30x |
| Optical Zoom | | | | 10x | 10x | 10x | | |
| Built-in mic & LED Lamps | 1 | 1 | ✓ | 1 | √ | 1 | 1 | √ |
| USB | 1 | 1 | 1 | 1 | √ | 1 | 1 | √ |
| HDMI | | | 1 | 1 | √ | 1 | | 1 |
| VGA | | | | 1 | √ | √ | | |
| Wireless | | | | Wireless Network & Ethernet | | Wireless Network & Ethernet | Point-to-Point | Wireless Network & Point- to-Point |
| Double as Webcam | 1 | 1 | ✓ | | | | 1 | √ |
| Additional Features | USB C, Portable, Carrying Sleeve | Lightweight, Small Footprint | Extendable Neck | Microscope Adapter, Gooseneck | Dual Arm-lights & Backlight | LED Preview Screen, Dual Arm-lights & Backlight | Lightweight, Small Footprint | Extendable Neck |

we make collaboration technology work the way you want it to.

QOMO is a leading US brand and global manufacturer of educational and collaboration technology. From doc cams to interactive touch screens, we're the only partner who comes with a fully-integrated (and adaptable) product line that's easy to use and easy on the budget. After doing this for more than 20 years, we understand how to work with everyone from CEOs and CTOs to district administrators and classroom teachers.

QOMO focuses on creating user-friendly technologies that allow everyone to enjoy what they do best.



How do you say our name? QOMO [co-moe]

hello@qomo.com 46950 Magellan 866-990-7666 Wixom, MI 48393 QOMO.COM