INTERACTIVE DISPLAY

bundleboard™ i

4K | EDLA-Certified | NFC Reader
For rooms that need more capability and customization—without becoming complicated.

i complete me.

Built for rooms that change throughout the day, **BundleBoard i** supports different users, workflows, and teaching or presentation styles. With personalized logins and flexible tools, it's easy to move between activities without reconfiguring the space.

Learn more about the BundleBoard i at
qomo.com/bundleboard-i or scan the QR code.

QOMO®

i remember.
i follow.
i adapt.





NFC SUPPORT FOR LOGINS

tap once. it's already you.

Tap your card, scan a QR code, or enter your password and your digital workspace **appears instantly.**

ROAMING PROFILES

making start from scratch obsolete.

The BundleBoard i experience follows you from room-to-room with **personalized profiles** that remember your shortcuts and customizations.

i listen. i learn. i assist.

GOOGLE VOICE ASSISTANT + AI

need something? just ask. seriously.

Control your BundleBoard with **simple voice commands**, **search for content**, or use the power of **Google AI** to become your personal teaching assistant.

i connect.
i engage.
i collaborate.

MULTI-TOUCH COLLABORATION

50 points of touch. 1 point of connection.

Transform every lesson into a truly interactive experience with **50 points of simultaneous touch.** Students can collaborate at the board together without taking turns, making passive learning active.

bundleboard™ i		65"	75"	86"	98"
Model		**QITBB65 i**	**QITBB75 i**	**QITBB86 i**	**QITBB98 i**
Backlight	DLED	●	●	●	●
Aspect Ratio	16:9	●	●	●	●
Resolution	4K	●	●	●	●
Touch Points	50 Points	●	●	●	●
Industrial Glass	Super Smooth, Anti-Glare, Anti-Fingerprint	●	●	●	●
Brightness	400cd/m2	●	●	●	●
Operating System	Android 14 (upgradeable)	●	●	●	●
RAM/ROM	8G DDR4/128 GB	●	●	●	●
Wireless	WiFi 6/Bluetooth	●	●	●	●
NFC	Yes! ISO/IEC 14443@13.56Mhz ISO/IEC 15693@13.56Mhz	●	●	●	●
Windows OPS (optional add-on)	i5 8GB or i7 16GB	●	●	●	●
Audio					
Built-In Mic	24ft Range	●	●	●	●
Speaker Output	Front-Facing 2X20W	●	●	●	●
Power					
Working Voltage	100-240V, 50/60Hz	●	●	●	●
Max Power Consumption		≤300W (<0.5W standby)	≤380W (<0.5W standby)	≤400W (<0.5W standby)	≤500W (<0.5W standby)
Physical Specs					
VESA		600 × 400 mm	800 × 400 mm	800 × 600 mm	800 × 600 mm
Dimensions	L×W×D	58 . 6×35 . 75 ×3 . 4 in	67.3×40.6× 3.4 in	77×46.1× 3.8 in	88.4x52.2x 3.5 in
Packing Dimensions	L×W×H	64 × 39.9 × 7.3 in	73.35 × 45.5 × 8.9 in	83 × 51.3 × 8.9 in	94.7 × 58 × 11 in
Net Weight/Gross Weight		76.5lbs/91.6lbs	102.4lbs/124lbs	120.6lbs/154lbs	218lbs/278lbs
Ports	4 USB 3.0, 1 USB 2.0, 2 Touch USB, 3 HDMI in, 2 USB-C, 1 DP, 1 MIC In, 1 VGA, 1 Audio Out, 1 SPDIF, 1 RS232 (Baud Rate 9600), 1 HDMI Out, 2 LAN (10M/100M/1000M) In/Out, TF Card Slot (expandable storage)				

Authorized QOMO Reseller:

we make collaboration technology work the way you want it to.

QOMO is a leading US brand and global manufacturer of educational and collaboration technology. From doc cams to interactive touch screens, we're the only partner who comes with a fully-integrated (and adaptable) product line that's easy to use and easy on the budget. After doing this for nearly 20 years, we understand how to work with everyone from CEOs and CTOs to district administrators and classroom teachers.

QOMO focuses on creating user-friendly technologies that allow everyone to enjoy what they do best.

QOMO®

How do you say our name?

QOMO [co-moe]

Tech Support: support@qomo.com **Sales Team:** sales@qomo.com

hello@qomo.com
866-990-7666

46950 Magellan
Wixom, MI 48393

QOMO.COM

Copyright ©2025 QOMO, LLC. All rights reserved. This document may not be copied in any form without the permission from QOMO, LLC. Information in this document is subject to change without notice.