## bundle**board** i



## i complete me.


More than just a tool—it becomes an extension of you, adapting to your unique teaching style and preferences wherever you go.

**BundleBoard i** is the most comprehensive **Google EDLA certified** interactive display that fully embraces **Google's ecosystem.** With access to the complete **Google Playstore** and **upgradeable Android OS**, the BundleBoard i transforms to match your evolving needs.






i remember.i follow.i adapt.



tap once. it's already you.

Tap your card, scan a QR code, or enter your password and your digital workspace appears instantly.



ROAMING PROFILES making start from scratch obsolete.

The BundleBoard i experience follows you from room-to-room with **personalized profiles** that remember your shortcuts and customizations.



i listen. i learn. i assist.

need something? just ask. seriously.

Control your BundleBoard with **simple voice commands**, **search for content**, or use the power of **Google AI** to become your personal teaching assistant.

i connect.i engage.i collaborate.

MULTI-TOUCH COLLABORATION
50 points of touch. 1 point of connection.

Transform every lesson into a truly interactive experience with **50 points of simultaneous touch.**Students can collaborate at the board together without taking turns, making passive learning active.



		65'	/5'	86'
BundleBoard i Seri	es			
Model		QITBB65 i	QITBB75 i	QITBB86 i
Backlight	DLED	•	•	•
Aspect Ratio	16:9	•	•	•
Resolution	4K	•	•	•
Touch Points	50 Points	•	•	•
Industrial Glass	Super Smooth, Anti-Glare, Anti-Fingerprint	•	•	•
Brightness	400cd/m2	•	•	•
Operating System	Android 14 (upgradeable)	•	•	•
RAM/ROM	8G DDR4/128 GB	•	•	•
Wireless	WiFi 6/Bluetooth	•	•	•
NFC	Yes! ISO/IEC 14443@13.56Mhz ISO/IEC 15693@13.56Mhz	•	•	•
Windows OPS (optional add-on)	i5 8GB or i7 16GB	•	•	•
Audio				
Built-In Mic	24ft Range	•	•	•
Speaker Output	Front-Facing 2X20W	•	•	•
Power				
Working Voltage	100-240V, 50/60Hz	•	•	•
Max Power Consumption		≤300W (<0.5W standby)	≤380W (<0.5W standby)	≤400W (<0.5W standby)
Physical Specs				
VESA		23.62×15.75in	31.50×15.75in	31.50×23.62in
Dimensions	L×W×D	58.58×35.75×3.39in	67.30×40.59×3.37in	77.05×46.10×3.82in
Packing Dimensions	L×W×H	64.09×39.92×7.28in	73.35×45.47×8.86in	83.07×51.34×8.86in
Net Weight/Gross Weight		76.5lbs/91.6lbs	102.4lbs/124lbs	120.6lbs/154lbs
Ports	4 USB 3.0, 1 USB 2.0, 2 Touch USB, 3 HDMI in, 2 USB-C, 1 DP, 1 MIC In, 1 VGA, 1 Audio Out, 1 SPDIF, 1 RS232 (Baud Rate 9600), 1 HDMI Out, 2 LAN (10M/100M/1000M) In/Out, TF Card Slot (expandable storage)			

65'

**Authorized QOMO Reseller:** 

86'